

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (cancelled)
2. (previously presented) ~~The method of claim 16, wherein:~~
the first apparatus performs first communication functionalities using data stored in a first data base; and

the second apparatus performs second communication functionalities using data stored in a second data base.
3. (previously presented) The method of claim 16, wherein each of the first and second apparatus comprises at least one of the following: a PDA with an Internet capability, a mobile phone, a wired phone, a pager.
4. (previously presented) The method of claim 16, wherein the information is uploaded via the Internet from the first apparatus to the server.
5. (previously presented) The method of claim 16, wherein the information is downloaded via the Internet to the second apparatus.
6. (previously presented) The method of claim 16, wherein the server keeps a copy of the information uploaded.

7. (previously presented) The method of claim 16, wherein the manipulating comprises at least one of the following:

selectively extracting data from the uploaded information and converting a format.

-
8. (cancelled)

9. (previously presented) The system of claim 17, wherein the server is enabled to manipulate by at least one of the following: selectively extracting data from the information and converting of a format.

10. (previously presented) The system of claim 17, wherein:
- the first apparatus has a first communications capability based on a first data base;
- the second apparatus has a second communications capability based on a second data base;
- the first data base relates to a first communications directory; and
- the second data base relates to a second communications directory.

11. (previously presented) A method for transferring data in a database of a first mobile terminal to one or more second mobile terminals, comprising:
- providing a common server accessible to a first mobile terminal and a corresponding second mobile terminal, the terminals being remote from each other and the server, the first mobile terminal having at least a first application and associated

first database for use in the first mobile terminal, and the second mobile terminal having at least a second application and associated second database for use in the second mobile terminal;

~~enabling the upload of data from the first application's first database to the common~~
server;

associating the data with a particular user;

determining a format required by the particular user;

converting the uploaded data to conform to the format; and

the server determining which from a plurality of corresponding and non-corresponding mobile terminals is a corresponding second mobile terminal and selectively transferring the converted data automatically into the second database for use by the second application.

12. (previously presented) The method of claim 11, wherein the first database includes a telephone directory.

13. (previously presented) The method of claim 11, wherein the second database includes a telephone directory.

14. (previously presented) The method of claim 11, wherein the first apparatus and the second apparatus includes one or more of a PDA, a pager, and a cellular telephone.

15. (previously presented) The method of claim 11, wherein the manipulated information includes one or more telephone numbers automatically retrievable by the second apparatus to initiate a telephone call from the second apparatus.

16. (previously presented) A method comprising:

providing a server accessible by a plurality of sets of corresponding apparatuses, the apparatuses being remote from the server and from each other, each set of corresponding apparatuses being for a specific one of a plurality of users of the sets;

receiving data from a first apparatus in a set;

manipulating the data so that it is usable by a program application in a corresponding second apparatus of the set; and

selectively transferring the manipulated data to the one or more second apparatuses in the set.

17. (previously presented) A system comprising:

a server enabled for access by a plurality of sets of corresponding apparatuses the apparatuses being remote from the server and from each other, each set of corresponding apparatuses being for a specific one of a plurality of users of the sets;

the server enabled to receive data from a first apparatus in a set;

the server enabled to manipulate the data so that it is usable by a program application in a corresponding second apparatus of the set; and

the server enabled to selectively transfer the manipulated data to the one or more second apparatuses in the set.

18. (new) A method for transferring data in a database of a first mobile terminal to one or more second mobile terminals, comprising:

providing a common server accessible to a first mobile terminal and a corresponding second mobile terminal, the terminals being remote from each other and the server, the first mobile terminal having at least a first application and associated first database for use in the first mobile terminal, and the second mobile terminal having at least a second application and associated second database for use in the second mobile terminal;

enabling the upload of data from the first application's first database to the common server;

associating the data with a particular user;

determining a format required by the particular user;

converting the uploaded data to conform to the format;

the server determining which from a plurality of corresponding and non-corresponding mobile terminals is a corresponding second mobile terminal and selectively transferring the converted data automatically into the second database for use by the second application;

wherein the first database includes a telephone directory;

wherein the second database includes a telephone directory; and

wherein the manipulated information includes one or more telephone numbers automatically retrievable by the second apparatus to initiate a telephone call from the second apparatus.

19. (new) A system comprising:

a server enabled for access by a plurality of sets of corresponding apparatuses the apparatuses being remote from the server and from each other, each set of
~~corresponding apparatuses being for a specific one of a plurality of users of the~~
sets;

the server enabled to receive data from a first apparatus in a set;

the server enabled to manipulate the data so that it is usable by a program application
in a corresponding second apparatus of the set;

the server enabled to selectively transfer the manipulated data to the one or more
second apparatuses in the set;

wherein:

the first apparatus has a first communications capability based on a first data base;

the second apparatus has a second communications capability based on a second data
base;

the first data base relates to a first communications directory;

the second data base relates to a second communications directory;

wherein the first database includes a telephone directory; and

wherein the manipulated information includes one or more telephone numbers

automatically retrievable by the second apparatus to initiate a telephone call from
the second apparatus.

20. (new) A system comprising:

a server enabled for access by a plurality of sets of corresponding apparatuses the
apparatuses being remote from the server and from each other, each set of

corresponding apparatuses being for a specific one of a plurality of users of the sets;

the server enabled to receive data from a first apparatus in a set;

the server enabled to manipulate the data so that it is usable by a program application

~~in a corresponding second apparatus of the set;~~

the server enabled to selectively transfer the manipulated data to the one or more

second apparatuses in the set;

wherein:

the first apparatus has a first communications capability based on a first data base;

the second apparatus has a second communications capability based on a second data base;

the first data base relates to a first communications directory;

the second data base relates to a second communications directory;

wherein the second database includes a telephone directory; and

wherein the manipulated information includes one or more telephone numbers

automatically retrievable by the second apparatus to initiate a telephone call from

the second apparatus.